



API-0002

IN THE CLAIMS

1. (Currently Amended) A pharmaceutical composition comprising a compound of Formula 1




Formula 1

or a pharmaceutically acceptable salt thereof, together with at least one pharmaceutically acceptable carrier or excipient, wherein


A<sub>1</sub> is an optionally substituted di-alkylamine, an optionally substituted aryl group, an optionally substituted 5- or 6-membered heteroaryl group, an optionally substituted bicyclic heteroaryl group having a 5-membered heteroaryl ring fused to a phenyl ring, an optionally substituted partially unsaturated or aromatic heterocyclic group having two 6-membered rings, an optionally substituted 5- to 7-membered heterocycloalkyl group containing at least one nitrogen atom and 0 or 1 additional heteroatoms, an optionally substituted partially unsaturated 5- to 7-membered heterocycloalkyl group containing at least one nitrogen atom and 0 or 1 additional heteroatoms, a 5- or 6-membered heterocycloalkyl group fused to a phenyl or heteroaryl ring, or a fused or spiro 8 to 11-membered bicyclic heterocycloalkyl group containing at least one nitrogen atom and 0 to 3 additional heteroatoms;

A<sub>2</sub> is

(i)





(ii)




API-0002








(iii)

~~(iv)~~



(v)





(vi)

~~(vii)~~~~(viii)~~~~(ix)~~~~(x)~~~~(xi)~~~~(xii)~~

(xiii)

~~(xiv)~~

API-0002



$t$  is 0 or 1;

$X$  and  $W$  are independently  $O$ ,  $S$ ,  $NR$ , or absent, where  $R$  is hydrogen, optionally substituted  $C_1$ - $C_6$ alkyl, or optionally substituted aryl( $C_0$ - $C_4$ alkyl);

$V$  is  $C_1$ - $C_6$ alkyl,  $C_2$ - $C_6$ alkenyl,  $C_2$ - $C_6$ cycloalkyl, or absent;

$Y$  is  $C_1$ - $C_6$ alkyl,  $C_1$ - $C_6$ alkyl substituted with  $C_2$ - $C_6$ cycloalkyl,  $C_2$ - $C_6$ alkenyl,  $C_2$ - $C_6$ cycloalkyl, or absent; wherein when  $V$  is absent,  $W$  is absent;

$Z$  is carbonyl, thiocarbonyl, imine, or  $C_1$ - $C_6$ alkylimino;

$R_1$  and  $R_2$  are independently hydrogen, or

$R_1$  and  $R_2$  are independently  $C_1$ - $C_6$ alkyl,  $C_2$ - $C_6$ alkenyl, or  $C_2$ - $C_6$ alkynyl, each of which is substituted with 0 to 3 substituents independently chosen from halogen, hydroxy, amino,  $C_1$ - $C_4$ alkoxy,  $C_1$ - $C_2$ haloalkyl, and  $C_1$ - $C_2$ haloalkoxy, or

$R_1$  and  $R_2$  are joined to form a 5- to 7-membered saturated or mono-unsaturated ring optionally containing one additional heteroatom chosen from  $N$ ,  $S$ , and  $O$ , which 5- to 7-membered saturated or mono-unsaturated ring is substituted with 0 to 3 substituents independently chosen from halogen, hydroxy, amino,  $C_1$ - $C_4$ alkyl,  $C_1$ - $C_4$ alkoxy, mono- and di- $(C_1$ - $C_4$ alkyl)amino,  $C_1$ - $C_2$ haloalkyl, and  $C_1$ - $C_2$ haloalkoxy;

$R_{10}$  is  $C_1$ - $C_6$ alkyl;

$R_{11}$  and  $R_{12}$  each represent 0 to 3 substituents independently chosen from halogen, hydroxy, cyano,  $C_1$ - $C_6$ alkyl,  $C_1$ - $C_6$ alkoxy, mono- and di- $(C_1$ - $C_6$ alkyl)amino,  $C_2$ - $C_6$ alkanoyl,  $C_1$ - $C_2$ haloalkyl,  $C_1$ - $C_2$ haloalkoxy, and phenyl; and

$R_{13}$  and  $R_{14}$  are independently chosen at each occurrence from hydrogen and  $C_1$ - $C_4$ alkyl;

$R_{15}$  is  $C_1$ - $C_6$ alkoxy or  $C_1$ - $C_6$ alkyl;

$R_{16}$  is  $C_1$ - $C_6$ alkoxy or  $C_1$ - $C_6$ alkyl; and

$R_{17}$  represents 0 to 2 substituents independently chosen from halogen, methyl, and methoxy;

API-0002

2. (Currently Amended) A ~~compound or salt~~ pharmaceutical composition according to Claim 1 wherein

$A_1$  is a ~~di-(C<sub>1</sub>-C<sub>6</sub>alkyl)amino, an aryl group, a 5- or 6-membered heteroaryl group, a bicyclic heteroaryl group having a 5-membered heteroaryl ring fused to a phenyl ring, a partially unsaturated or aromatic heterocyclic group having two 6-membered rings, a 5- to 7-membered heterocycloalkyl group containing at least one nitrogen atom and 0 or 1 additional heteroatoms, a partially unsaturated 5- to 7-membered heterocycloalkyl group containing at least one nitrogen atom and 0 or 1 additional heteroatoms, a 5- or 6-membered heterocycloalkyl group fused to a phenyl or heteroaryl ring, or a fused or spiro 8 to 11-membered bicyclic heterocycloalkyl group containing at least one nitrogen atom and 0 to 3 additional heteroatoms; each of which  $A_1$  is substituted with 0 to 5 substituents independently chosen from:~~

- (a) halogen, hydroxy, cyano, amino, nitro, oxo, -COOH, -CONH<sub>2</sub>, -SO<sub>2</sub>NH<sub>2</sub>, -SH, C<sub>1</sub>-C<sub>2</sub>haloalkyl, and C<sub>1</sub>-C<sub>2</sub>haloalkoxy,
- (b) C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>2</sub>-C<sub>6</sub>alkenyl, C<sub>2</sub>-C<sub>6</sub>alkynyl, C<sub>1</sub>-C<sub>6</sub>alkoxy, C<sub>2</sub>-C<sub>6</sub>alkenyloxy, C<sub>1</sub>-C<sub>4</sub>alkoxy(C<sub>1</sub>-C<sub>4</sub>alkyl), amino(C<sub>1</sub>-C<sub>6</sub>alkyl), mono- and di-(C<sub>1</sub>-C<sub>6</sub>alkyl)amino, mono- and di-(C<sub>1</sub>-C<sub>4</sub>alkyl)amino, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>2</sub>-C<sub>6</sub>alkanoyl, C<sub>2</sub>-C<sub>6</sub>alkanoyloxy, C<sub>1</sub>-C<sub>6</sub>alkoxycarbonyl, -mono- and di-(C<sub>1</sub>-C<sub>6</sub>alkyl)carboxamide, (C<sub>3</sub>-C<sub>7</sub>cycloalkyl)carboxamide, mono- and di-(C<sub>1</sub>-C<sub>6</sub>alkyl)sulfonamide, C<sub>1</sub>-C<sub>6</sub>alkylthio, aryl(C<sub>6</sub>-C<sub>4</sub>alkyl)thio, C<sub>1</sub>-C<sub>6</sub>alkylsulfinyl, and C<sub>1</sub>-C<sub>6</sub>alkylsulfonyl, and

(c) -GR<sub>3</sub> where

G is chosen from -(CH<sub>2</sub>)<sub>n</sub>-, C<sub>2</sub>-C<sub>4</sub>alkenyl, C<sub>2</sub>-C<sub>4</sub>alkynyl, -(CH<sub>2</sub>)<sub>n</sub>O(CH<sub>2</sub>)<sub>m</sub>-, and -(CH<sub>2</sub>)<sub>n</sub>N(CH<sub>2</sub>)<sub>m</sub>-, where n and m are independently 0, 1, 2, 3, or 4; and

R<sub>3</sub> is chosen from C<sub>3</sub>-C<sub>8</sub>cycloalkyl, C<sub>2</sub>-C<sub>7</sub>monocyclic heterocycloalkyl, C<sub>5</sub>-

C<sub>10</sub>bicyclic heterocycloalkyl, indanyl, tetrahydronaphthyl, aryl, and heteroaryl;

each of which (b) and (c) is substituted with 0 to 5 substituents independently chosen from halogen, hydroxy, amino, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, mono- and di-(C<sub>1</sub>-C<sub>4</sub>alkyl)amino, C<sub>2</sub>-C<sub>4</sub>alkanoyl, C<sub>1</sub>-C<sub>4</sub>alkoxycarbonyl, C<sub>1</sub>-C<sub>2</sub>haloalkyl, C<sub>1</sub>-C<sub>2</sub>haloalkoxy, and phenyl;

X and W are independently O, S, NR<sub>3</sub>, or absent,

where R is hydrogen or R is C<sub>1</sub>-C<sub>6</sub>alkyl or aryl(C<sub>6</sub>-C<sub>4</sub>alkyl), each of which is substituted with 0 to 5 substituents independently chosen from halogen, hydroxy, cyano, amino, nitro, oxo, C<sub>1</sub>-C<sub>2</sub>haloalkyl, C<sub>1</sub>-C<sub>2</sub>haloalkoxy, C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>1</sub>-C<sub>6</sub>alkoxy, and mono- and di-(C<sub>1</sub>-C<sub>6</sub>alkyl)amino;

Y is independently C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>2</sub>-C<sub>6</sub>alkenyl, C<sub>2</sub>-C<sub>6</sub>cycloalkyl, or absent;

Z is C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>1</sub>-C<sub>6</sub>alkyl substituted with C<sub>3</sub>-C<sub>8</sub>cycloalkyl, C<sub>2</sub>-C<sub>6</sub>alkenyl, C<sub>2</sub>-C<sub>6</sub>cycloalkyl, or absent;

API-0002

~~wherein when V is absent, W is absent;~~~~Z is carbonyl, thiocarbonyl, or imine; and~~~~R<sub>1</sub> and R<sub>2</sub> are each independently hydrogen, or C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>2</sub>-C<sub>6</sub>alkenyl, or C<sub>2</sub>-C<sub>6</sub>alkynyl.~~~~R<sub>1</sub> and R<sub>2</sub> are independently C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>2</sub>-C<sub>6</sub>alkenyl, or C<sub>2</sub>-C<sub>6</sub>alkynyl, each of which is substituted with 0 to 3 substituents independently chosen from halogen, hydroxy, amino, C<sub>1</sub>-C<sub>4</sub>alkoxy, C<sub>1</sub>-C<sub>2</sub>haloalkyl, and C<sub>1</sub>-C<sub>2</sub>haloalkoxy, or~~~~R<sub>1</sub> and R<sub>2</sub> are joined to form a 5- to 7-membered saturated or mono-unsaturated ring optionally containing one additional heteroatom chosen from N, S, and O, which 5- to 7-membered saturated or mono-unsaturated ring is substituted with 0 to 3 substituents independently chosen from halogen, hydroxy, amino, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, mono- and di-(C<sub>1</sub>-C<sub>4</sub>alkyl)amino, C<sub>1</sub>-C<sub>2</sub>haloalkyl, and C<sub>1</sub>-C<sub>2</sub>haloalkoxy.~~

Claims 3-12. (Canceled)

13. (Currently Amended) A ~~compound or salt~~ pharmaceutical composition according to Claim 6 2 in which R<sub>1</sub> and R<sub>2</sub> are independently hydrogen, methyl, or ethyl.

14. (Currently Amended) A ~~compound or salt~~ pharmaceutical composition according to Claim 13 in which R<sub>1</sub> and R<sub>2</sub> are both hydrogen.

Claims 15-16. (Canceled).

17. (Currently Amended) A ~~compound or salt~~ pharmaceutical composition according to Claim 6 2 wherein

A<sub>1</sub> is aryl, a partially unsaturated heterocyclic group, or heteroaryl group;

substituted with 0 to 5 substituents independently chosen from:

(a) halogen, hydroxy, cyano, amino, nitro, oxo, -COOH, -CONH<sub>2</sub>, -SO<sub>2</sub>NH<sub>2</sub>, -SH, C<sub>1</sub>-C<sub>2</sub>haloalkyl, and C<sub>1</sub>-C<sub>2</sub>haloalkoxy, and

(b) C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>2</sub>-C<sub>6</sub>alkenyl, C<sub>2</sub>-C<sub>6</sub>alkynyl, C<sub>1</sub>-C<sub>6</sub>alkoxy, C<sub>2</sub>-C<sub>6</sub>alkenyloxy, C<sub>1</sub>-C<sub>4</sub>alkoxy(C<sub>1</sub>-C<sub>4</sub>alkyl), amino(C<sub>1</sub>-C<sub>6</sub>alkyl), mono- and di-(C<sub>1</sub>-C<sub>6</sub>alkyl)amino, mono- and di-(C<sub>1</sub>-C<sub>4</sub>alkyl)amino, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>2</sub>-C<sub>6</sub>alkanoyl, C<sub>2</sub>-C<sub>6</sub>alkanoyloxy, C<sub>1</sub>-C<sub>6</sub>alkoxycarbonyl, mono- and di-(C<sub>1</sub>-C<sub>6</sub>alkyl)carboxamide, (C<sub>3</sub>-C<sub>7</sub>cycloalkyl)carboxamide, mono- and di-(C<sub>1</sub>-C<sub>6</sub>alkyl)sulfonamide, C<sub>1</sub>-C<sub>6</sub>alkylthio, aryl(C<sub>0</sub>-C<sub>4</sub>alkyl)thio, C<sub>1</sub>-C<sub>6</sub>alkylsulfinyl, and C<sub>1</sub>-

API-0002

C<sub>6</sub>alkylsulfonyl, and(c) -GR<sub>a</sub> whereG is chosen from -(CH<sub>2</sub>)<sub>n</sub>-, C<sub>2</sub>-C<sub>4</sub>alkenyl, C<sub>2</sub>-C<sub>4</sub>alkynyl, -(CH<sub>2</sub>)<sub>n</sub>O(CH<sub>2</sub>)<sub>m</sub>-, and-(CH<sub>2</sub>)<sub>n</sub>N(CH<sub>2</sub>)<sub>m</sub>-, where n and m are independently 0, 1, 2, 3, or 4; andR<sub>a</sub> is chosen from C<sub>3</sub>-C<sub>6</sub>cycloalkyl, C<sub>2</sub>-C<sub>7</sub>monocyclic heterocycloalkyl, C<sub>5</sub>-C<sub>10</sub>bicyclic heterocycloalkyl, indanyl, tetrahydronaphthyl, aryl, and heteroaryl;

each of which (b) and (c) is substituted with 0 to 5 substituents independently chosen from halogen,

hydroxy, amino, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, mono- and di-(C<sub>1</sub>-C<sub>4</sub>alkyl)amino, C<sub>2</sub>-C<sub>4</sub>alkanoyl, C<sub>1</sub>-C<sub>4</sub>alkoxycarbonyl, C<sub>1</sub>-C<sub>2</sub>haloalkyl, C<sub>1</sub>-C<sub>2</sub>haloalkoxy, and phenyl.

Claims 18-19. (Canceled)

20. (Currently Amended) A ~~compound or salt~~ pharmaceutical composition according to Claim 1817 in which A<sub>1</sub> is substituted with 0 to 5 substituents independently chosen from(a) halogen, hydroxy, cyano, amino, nitro, oxo, C<sub>1</sub>-C<sub>2</sub>haloalkyl, and C<sub>1</sub>-C<sub>2</sub>haloalkoxy, and(b) C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>1</sub>-C<sub>6</sub>alkoxy, C<sub>1</sub>-C<sub>4</sub>alkoxy(C<sub>1</sub>-C<sub>4</sub>alkyl), amino(C<sub>1</sub>-C<sub>4</sub>alkyl), mono- and di-(C<sub>1</sub>-C<sub>4</sub>alkyl)amino, and mono- and di-(C<sub>1</sub>-C<sub>4</sub>alkyl)aminoC<sub>1</sub>-C<sub>4</sub>alkyl; and(c) -GR<sub>a</sub> whereG is from -(CH<sub>2</sub>)<sub>n</sub>-, -(CH<sub>2</sub>)<sub>n</sub>O(CH<sub>2</sub>)<sub>m</sub>-, and -(CH<sub>2</sub>)<sub>n</sub>N(CH<sub>2</sub>)<sub>m</sub>-, andR<sub>a</sub> is C<sub>3</sub>-C<sub>6</sub>cycloalkyl, 5 or 6-membered heterocycloalkyl containing 1 or 2 heteroatoms

independently chosen from O, S, and N, 5- or 6-membered heteroaryl containing 1, 2, or 3

heteroatoms independently chosen from O, S, and N, indanyl, and phenyl,

each of which (b) and (c) is substituted with 0 to 5 substituents independently chosen from halogen,

hydroxy, amino, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, mono- and di-(C<sub>1</sub>-C<sub>2</sub>alkyl)amino, and C<sub>1</sub>-C<sub>2</sub>haloalkyl,and C<sub>1</sub>-C<sub>2</sub>haloalkoxy.21. (Currently Amended) A ~~compound or salt~~ pharmaceutical composition according to Claim 20


in which

A<sub>1</sub> is substituted with 0 to 3 substituents independently chosen from halogen, hydroxy, cyano, amino, nitro,oxo, C<sub>1</sub>-C<sub>2</sub>haloalkyl, C<sub>1</sub>-C<sub>2</sub>haloalkoxy, C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>1</sub>-C<sub>6</sub>alkoxy, C<sub>1</sub>-C<sub>4</sub>alkoxy(C<sub>1</sub>-C<sub>4</sub>alkyl),amino(C<sub>1</sub>-C<sub>4</sub>alkyl), mono- and di-(C<sub>1</sub>-C<sub>4</sub>alkyl)amino, and mono- and di-(C<sub>1</sub>-C<sub>4</sub>alkyl)aminoC<sub>1</sub>-C<sub>4</sub>alkyl.


API-0002

Claims 22-54. (Canceled).

55. (Currently Amended) A ~~compound or salt~~ pharmaceutical composition according to Claim 2 of the formula Formula 27, wherein



Formula 27



wherein

R<sub>18</sub> represents 0 to 3 substituents independently chosen from halogen, hydroxy, cyano, amino, nitro, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, mono- and di-(C<sub>1</sub>-C<sub>4</sub>alkyl)amino, C<sub>1</sub>-C<sub>2</sub>haloalkyl, C<sub>1</sub>-C<sub>2</sub>haloalkoxy, and phenyl.

Claims 56 - 80. (Canceled)

81. (Currently Amended) A ~~compound or pharmaceutically acceptable salt thereof, in which the compound is selected from~~ The pharmaceutical composition of Claim 1 in which the compound is

- 1-(Furan 2-carbonyl)-3-(4-benzo[d]thiazol-2-yl-phenyl)thiourea;
- 1-(Benzofuran 2-yl-carbonyl)-3-[5-(benzo[d]oxazol-2-yl)-2-methylphenyl]thiourea;
- 1-(3-(Benzo[d]thiazol-2-yl)phenyl)-3-(2-phenoxyacetyl)thiourea;
- 1-(4-(Benzo[d]oxazol-2-yl)phenyl)-3-propionylthiourea;
- 1-(Pyridin 3-carbonyl)-3-(4-benzo[d]thiazol-2-yl-phenyl)thiourea;
- 1-[3-(2-chlorophenyl-5-methyl-isoxazol-4-yl)-carbonyl]-3-(4-isopropylphenyl)thiourea;
- Butyl 4-(3-(2-phenoxyacetyl)thioureido)benzoate;
- Butyl 4-(3-acetylthioureido)benzoate;
- Butyl 4-(3-(2-(3-chlorophenoxy)acetyl)thioureido)benzoate;
- Butyl 4-(3-(3-phenoxypropanoyl)thioureido)benzoate;

API-0002

Butyl 4-(3-(2-(naphthalen-3-yloxy)acetyl)thioureido)benzoate;  
 Butyl 4-(3-(benzofuran-2-yl-carbonyl)thioureido)benzoate;  
 Ethyl 2-(4-(3-(2-phenoxyacetyl)thioureido)phenyl)acetate;  
 Ethyl 4-(3-(2-phenoxyacetyl)thioureido)benzoate;  
 Butyl 4-(3-(2-methoxyacetyl)thioureido)benzoate;  
 Butyl 4-(3-(2-(2,4-dichlorophenoxy)acetyl)thioureido)benzoate;  
 Butyl 4-(3-(2-(4-tert-butylphenoxy)acetyl)thioureido)benzoate;  
 Butyl 4-(3-(2-(4-(benzyloxy)phenoxy)acetyl)thioureido)benzoate;  
 Butyl 4-(3-(2-(2-methoxyphenoxy)acetyl)thioureido)benzoate;  
 Butyl 4-(3-(2-(6-tertyloxy)acetyl)thioureido)benzoate;  
 Butyl 4-(3-(2-(2,4,6-trichlorophenoxy)acetyl)thioureido)benzoate;  
 Butyl 4-(3-(3,4-dichlorophenyl-carbonyl)thioureido)benzoate;  
 1-(3,4-dichlorophenyl-carbonyl)-3-(3-trifluoromethylphenyl)thiourea;  
 1-(3,4-Dichlorophenyl-carbonyl)-3-(3-benzyloxy-phenyl)thiourea;  
 1-(3,4-Dichlorophenyl-carbonyl)-3-(3-phenoxy-phenyl)thiourea;  
 1-(3,4-Difluorophenyl-carbonyl)-3-(3-(5-methylfuran-2-yl)-phenyl)thiourea;  
 Butyl 4-(3-(naphth-2-yl)-carbonyl)thioureido)benzoate;  
 Butyl 4-(3-(4-cyanophenyl)-carbonyl)thioureido)benzoate;  
 Butyl 4-(3-(methylacetate)-carbonyl)thioureido)benzoate;  
 1-((Benzofuran-2-yl-carbonyl)-3-(4-(phenoxy)-phenyl)thiourea;  
 Butyl 4-(3-(3-(3,4-dichlorophenoxy)acetyl)thioureido)benzoate;  
 1-(4-Butylphenyl)-3-(2-phenoxyacetyl)thiourea;  
 (Amino-(3-(benzyloxy)phenyl)-methanethiocarbonyl)methyl acetate;  
 1-(3-(Methylthio)propanoyl)-3-(3-(benzyloxy)phenyl)thiourea;  
 1-(2-(2-Chlorophenoxy)acetyl)-3-(3-(benzyloxy)phenyl)thiourea;  
 Butyl 4-(3-(naphth-1-yl)-carbonyl)thioureido)benzoate;  
 (S)-1-(Amino-N-p-(butylacetate)-methanethiocarbonyl)ethyl acetate;  
 Butyl 4-(3-(2-(2-methoxyethoxy)acetyl)thioureido)benzoate;  
 (Amino-N-(4-cyclohexylphenyl)-methanethiocarbonyl)(phenyl)methyl acetate;  
 Ethyl 3-(amino-N-(4-cyclohexylphenyl)-methanethiocarbonyl)propanoate;  
 1-Butyl-3-(4-cyclohexylphenyl)thiourea;  
 (S)-1-(Amino-N-(4-cyclohexylphenyl)-methanethiocarbonyl)ethyl acetate;  
 1-(3-(Benzyloxy)phenyl)-3-(2-hydroxyacetyl)thiourea;



API-0002

Butyl 4-(3-(2-(2,6-dichlorophenoxy)acetyl)thioureido)benzoate;  
Butyl 4-(3-(2-(3-methoxyphenoxy)acetyl)thioureido)benzoate;  
1-((1-methylimidazol-2-yl)-carbonyl)-3-(3-benzyloxy-phenyl)thiourea;  
~~tert~~ Butyl 2-(aminoN-(3-(benzyloxy)-phenyl)methanethiocarbamoyl)pyrrolidone-1-carboxylate;  
Butyl 4-(3-(pyrrolidin-1-yl)-carbonyl)thioureido)benzoate;  
Butyl 4-(3-(1-methyl-benzofuran-2-yl)-carbonyl)thioureido)benzoate;  
1-(4-Hexylphenyl)-3-(2-phenoxyacetyl)thiourea;  
1-(4-(Pentylloxy)phenyl)-3-(2-phenoxyacetyl)thiourea;  
1-((Benzofuran-2-yl-carbonyl)-3-(4-pentylloxy)-phenyl)thiourea;  
1-(4-Pentylphenyl)-3-(2-phenoxyacetyl)thiourea;  
1-((Benzofuran-2-yl-carbonyl)-3-(4-pentyl)-phenyl)thiourea;  
1-((Benzofuran-2-yl-carbonyl)-3-(4-pentylloxy)-phenyl)thiourea;  
1-(4-Butoxyphenyl)-3-(2-phenoxyacetyl)thiourea;  
1-((Benzofuran-2-yl-carbonyl)-3-(3-phenyl)-phenyl)thiourea;  
1-(2-Phenoxyacetyl)-3-(3-phenyl)-phenylthiourea;  
Isopropyl 4-(3-(benzofuran-2-yl)-carbonyl)thioureido)benzoate;  
1-(2-phenoxyacetyl)-3-(4-fluoro-phenyl)-phenylthiourea;  
1-(3-benzylphenyl)-3-(2-phenoxyacetyl)thiourea;  
1-((Benzofuran-2-yl-carbonyl)-3-(3-benzyl)-phenyl)thiourea;  
1-((Benzofuran-2-yl-carbonyl)-3-(4-benzyl)-phenyl)thiourea;  
1-(4-(p-Tolylloxy)phenyl)-3-(2-phenoxyacetyl)thiourea;  
Isobutyl 4-(3-(benzofuran-2-yl)-carbonyl)thioureido)benzoate;  
Isobutyl 4-(3-(2-phenoxyacetyl)thioureido)benzoate;  
1-(2-(phenylmethanone)phenyl)-3-(2-phenoxyacetyl)thiourea;  
1-(3-(Phenylcarbamoyl)phenyl)-3-(2-phenoxyacetyl)thiourea;  
1-(3-(2-Methylpyrimidin-4-yl)phenyl)-3-(2-phenoxyacetyl)thiourea;  
1-(4-(4-Chlorophenoxy)phenyl)-3-(2-phenoxyacetyl)thiourea;  
1-((Benzofuran-2-yl-carbonyl)-3-(4-Chlorophenoxy)-phenyl)thiourea;  
1-(4-(3,4-Dihydroisoquinolin-2(1H)-yl)phenyl)-3-(2-phenoxyacetyl)thiourea;  
1-(3-Fluoro-4-(octahydroquinolin-1(2H)-yl)phenyl)-3-(2-phenoxyacetyl)thiourea;  
1-(3-Fluoro-4-(octahydroquinolin-1(2H)-yl)phenyl)-3-(2-phenoxyacetyl)thiourea;  
1-(3-Fluoro-4-(piperidin-1-yl)phenyl)-3-(2-phenoxyacetyl)thiourea;  
1-((Benzofuran-2-yl-carbonyl)-3-(3-fluoro-4-(piperidin-1-yl)phenyl)-phenyl)thiourea;

API-0002

1-(3-(3-Methoxybenzyloxy)phenyl)-3-(2-phenoxyacetyl)thiourea;  
1-((Benzofuran-2-yl-carbonyl)-3-(3-(3-methoxybenzyloxy))phenyl)-phenylthiourea;  
1-(3-(2-Methoxybenzyloxy)phenyl)-3-(2-phenoxyacetyl)thiourea;  
1-((Benzofuran-2-yl-carbonyl)-3-(3-(2-Methoxybenzyloxy)phenyl)-thiourea;  
1-(3-(4-Methoxybenzyloxy)phenyl)-3-(2-phenoxyacetyl)thiourea;  
1-((Benzofuran-2-yl-carbonyl)-3-(3-(cyclohexylmethoxy)phenyl)-thiourea;  
1-(3-(Cyclohexylmethoxy)phenyl)-3-(2-phenoxyacetyl)thiourea;  
1-((Benzofuran-2-yl-carbonyl)-3-(4-(5,6-dihydropyridin-1(2H)-yl))phenyl)-thiourea;  
1-((5-Methoxy-benzofuran-2-yl-carbonyl)-3-(3-benzyloxy-phenyl)-thiourea;  
Butyl 4-(3-(5-chloro-benzofuran-2-yl)-carbonyl)thioureido)benzoate;  
1-(7-Methoxy-benzofuran-2-yl-carbonyl)-3-(3-methoxybenzyloxy)phenyl)-phenylthiourea;  
1-(2,3,4-tetrahydronaphthalen-2-yl-carbonyl)-3-(3-(3-methoxybenzyloxy))phenyl)-phenylthiourea;  
1-(2-(4-(Trifluoromethoxy)phenoxy)acetyl)-3-(3-(benzyloxy)phenyl)-thiourea;  
1-(3-(Benzyloxy)phenyl)-3-(2-(pyridin-3-yloxy)acetyl)thiourea;  
1-(4-exo-4-H-chromen-2-yl-carbonyl)-3-(3-methoxybenzyloxy)phenyl)-phenylthiourea;  
1-(3-(Benzyloxy)phenyl)-3-(2-(pyridin-2-yloxy)acetyl)thiourea;  
1-(Pyridin-2-yl-carbonyl)-3-(3-methoxybenzyloxy)phenyl)-phenylthiourea;  
1-(3-Chloro-benzo[b]thiophen-2-yl-carbonyl)-3-(3-ethoxybenzyloxy)phenyl)-phenylthiourea;  
1-(4-Trifluoromethoxy-phenyl-carbonyl)-3-(3-ethoxybenzyloxy)phenyl)-phenylthiourea;  
1-(5-Methylisoxazol-3-yl-carbonyl)-3-(3-ethoxybenzyloxy)phenyl)-phenylthiourea;  
1-(2-Methyl-5-phenyl-furan-3-yl-carbonyl)-3-(3-ethoxybenzyloxy)phenyl)-phenylthiourea;  
1-(4-Trifluoromethyl-phenyl-carbonyl)-3-(3-ethoxybenzyloxy)phenyl)-phenylthiourea;  
1-(3-Chloro-benzo[b]thiophen-2-yl-carbonyl)-3-(3-phenyloxy)phenyl)-phenylthiourea;  
1-(4-Trifluoromethoxyphenyl-carbonyl)-3-(3-phenyloxy)phenyl)-phenylthiourea;  
1-(3,5-Dimethylisoxazol-4-yl-carbonyl)-3-(3-phenyloxy)phenyl)-phenylthiourea;  
1-(5-Methylisoxazol-3-yl-carbonyl)-3-(3-phenyloxy)phenyl)-phenylthiourea;  
1-(4-Trifluoromethylphenyl-carbonyl)-3-(3-phenyloxy)phenyl)-phenylthiourea;  
(S)-1-(Amino-N-(3-(benzyloxy)-phenyl)methanethiocarbonyl)ethyl acetate;  
(S)-1-(Amino-N-(3-phenoxyphenyl)methane-thiocarbonyl)ethyl acetate;  
(S)-1-(Amino-N-(3-benzyl-phenyl)methanethiocarbonyl)ethyl acetate;  
Ethyl 1-(2-fluoro-4-(3-(benzofuran-2-yl-carbonyl)thioureido)phenyl)-4-phenylpiperidine-4-carboxylate;  
1-(4-Trifluoromethylphenyl-carbonyl)-3-(2-phenylbenzo[d][1,3]dioxol-6-yl)phenylthiourea;  
1-(3-Chloro-methylbenzo[b]thiophen-2-yl-carbonyl)-3-(2-phenylbenzo[d][1,3]dioxol-6-yl)

API-0002

phenyl)thiourea;

- 1-(4-Trifluoromethoxyphenyl-carbonyl)-3-(2-phenylbenzo[d][1,3]dioxol-6-yl)-thiourea;  
1-(5-Methylisoxazol-3-yl-carbonyl)-3-(2-phenylbenzo[d][1,3]dioxol-6-yl)-phenylthiourea;  
1-(3-((R)-1-Phenylethoxy)phenyl)-3-(4-trifluoromethylphenyl-carbonyl)thiourea;  
1-(3-((R)-1-Phenylethoxy)phenyl)-3-(3-chloro-methylbenzo[b]thiophen-2-yl-carbonyl)thiourea;  
1-(3-((R)-1-Phenylethoxy)phenyl)-3-(4-trifluoromethoxy-phenyl-carbonyl)thiourea;  
1-(3-((R)-1-Phenylethoxy)phenyl)-3-(5-methylisoxazol-3-yl-carbonyl)thiourea;  
1-(3-((S)-1-Phenylethoxy)phenyl)-3-(4-trifluoromethylphenyl-carbonyl)-thiourea;  
1-(3-((S)-1-Phenylethoxy)phenyl)-3-(4-trifluoromethoxyphenyl-carbonyl)-thiourea;  
1-(3-((S)-1-Phenylethoxy)phenyl)-3-(5-methylisoxazol-3-yl-carbonyl)-thiourea;  
1-(3-(Phenethyloxy)phenyl)-3-(4-trifluoromethylphenyl-carbonyl)-thiourea;  
1-(3-(Phenethyloxy)phenyl)-3-(3-chloro-methylbenzo[b]thiophen-2-yl-carbonyl)-thiourea;  
1-(3-(Phenethyloxy)phenyl)-3-(4-trifluoromethoxyphenyl-carbonyl)-thiourea;  
1-(3-(Phenethyloxy)phenyl)-3-(3,5-dimethylisoxazol-4-yl-carbonyl)-thiourea;  
1-(3-(Phenethyloxy)phenyl)-3-(5-methylisoxazol-3-yl-carbonyl)-thiourea;  
1-(3-(2,3-Dihydro-1H-inden-2-yloxy)phenyl)-3-(4-trifluoromethylphenyl-carbonyl)thiourea;  
1-(3-(2,3-Dihydro-1H-inden-2-yloxy)phenyl)-3-(4-trifluoromethoxyphenyl-carbonyl)thiourea;  
1-(3-(2,3-Dihydro-1H-inden-2-yloxy)phenyl)-3-(3,5-dimethylisoxazol-4-yl-carbonyl)thiourea;  
1-(3-(2,3-Dihydro-1H-inden-2-yloxy)phenyl)-3-(5-methylisoxazol-3-yl-carbonyl)thiourea;  
1-(2-Phenylbenzo[d][1,3]dioxol-6-yl)-3-(benzofuran-2-yl-carbonyl)thiourea;  
1-(3-((S)-1-Phenylethoxy)phenyl)-3-(benzofuran-2-yl-carbonyl)-thiourea;  
1-(3-(Phenethyloxy)phenyl)-3-(benzofuran-2-yl-carbonyl)-thiourea;  
1-(3-(2,3-Dihydro-1H-inden-2-yloxy)phenyl)-3-(benzofuran-2-yl-carbonyl)thiourea;  
1-(3-((R)-1-Phenylethoxy)phenyl)-3-(benzofuran-2-yl-carbonyl)thiourea;  
1-(2,4-dimethylthiazol-5-yl-carbonyl)-3-(3-phenyloxy)phenyl)-phenylthiourea;  
1-(1-methyl-pyrrol-2-yl-carbonyl)-3-(3-(benzyloxy)phenyl)thiourea;  
1-(3-(Phenethyloxy)phenyl)-3-((2,7-dimethylpyrazolo[1,5-a]pyrimidin-6-yl)-carbonyl)-thiourea;  
1-(3-(Phenethyloxy)phenyl)-3-(1-ethyl-3-methyl-1H-pyrazol-5-yl-carbonyl)-thiourea;  
1-(3-(2,3-Dihydro-1H-inden-2-yloxy)phenyl)-3-(2,4-dimethylthiazol-5-yl-carbonyl)thiourea;  
1-(3-(2,3-Dihydro-1H-inden-2-yloxy)phenyl)-3-((2,7-dimethylpyrazolo[1,5-a]pyrimidin-6-yl)-carbonyl)thiourea;  
1-(3-(2,3-Dihydro-1H-inden-2-yloxy)phenyl)-3-(1-ethyl-3-methyl-1H-pyrazol-5-yl-carbonyl)thiourea;  
1-(4-Methyl-1,2,3-thiadiazol-5-yl-carbonyl)-3-(3-phenyloxy)phenyl)-phenylthiourea;

API-0002

~~1-(Benzo[d]thiazol-2-yl-carbonyl)-3-(3-phenyloxy)phenyl-phenylthiourea;~~  
~~1-(4-Methyl-1,2,3-thiadiazol-5-yl-carbonyl)-3-(3-(benzyloxy)-phenyl)thiourea;~~  
~~1-(Benzo[d]thiazol-2-yl-carbonyl)-3-(3-(benzyloxy)-phenyl)thiourea;~~  
~~1-(Benzofuran-2-yl-carbonyl)-3-(3-fluoro-5-pentoxy-phenyl)thiourea;~~  
~~1-(2-Methyl-pyridin-3-yl-carbonyl)-3-(3-(benzyloxy)-phenyl)thiourea;~~  
~~1-(1-phenyl-1H-pyrazol-5-yl-carbonyl)-3-(3-(benzyloxy)-phenyl)thiourea;~~  
~~1-(1-phenyl-1H-pyrazol-5-yl)-3-((3-phenyloxy)phenyl)-phenylthiourea;~~  
~~1-(2-Phenylbenzo[d][1,3]dioxol-6-yl)-3-(1-phenyl-1H-pyrazol-5-yl-carbonyl)thiourea;~~  
~~1-(1-phenyl-1H-pyrazol-5-yl)-3-(4-pentoxy-phenyl)-phenylthiourea;~~  
~~1-(1-phenyl-1H-pyrazol-5-yl)-3-((3-phenyloxy-phenyl)-phenyl)thiourea;~~  
~~1-(Methylbenzo[b]thiophen-2-yl-carbonyl)-3-((4-pentoxy-phenyl)-phenyl)thiourea;~~  
~~1-(isoxazol-5-yl-carbonyl)-3-(3-(benzyloxy)-phenyl)thiourea;~~  
~~1-(isoxazol-5-yl-carbonyl)-3-(3-(phenoxy)-phenyl)thiourea;~~  
~~1-(isoxazol-5-yl-carbonyl)-3-(4-pentyl)-phenylthiourea;~~  
~~1-(isoxazol-5-yl-carbonyl)-3-(4-(pentoxy)-phenyl)thiourea;~~  
~~1-(isoxazol-5-yl-carbonyl)-3-(3-(phenoxy)-phenyl)thiourea;~~  
~~1-(isoxazol-5-yl-carbonyl)-3-(3-(phenoxy)-phenyl)thiourea;~~  
~~1-((3-(trifluoromethyl)phenyl)furan-2-yl-carbonyl)-3-(3-(benzyloxy)-phenyl)thiourea;~~  
~~1-((3-(trifluoromethyl)phenyl)furan-2-yl-carbonyl)-3-(3-(phenoxy)-phenyl)thiourea;~~  
~~1-(5-Bromo-benzofuran-2-yl-carbonyl)-3-(3-(benzyloxy)-phenyl)thiourea;~~  
~~1-(5-Bromo-benzofuran-2-yl-carbonyl)-3-(3-(phenoxy)-phenyl)thiourea;~~  
~~1-(5-Nitro-benzofuran-2-yl-carbonyl)-3-(3-(benzyloxy)-phenyl)thiourea;~~  
~~1-(5-Nitro-benzofuran-2-yl-carbonyl)-3-(3-(phenoxy)-phenyl)thiourea;~~  
~~1-(5-Bromo-benzofuran-2-yl-carbonyl)-3-(4-pentyl-phenyl)thiourea;~~  
~~1-(5-Bromo-benzofuran-2-yl-carbonyl)-3-(4-pentoxy-phenyl)thiourea;~~  
~~1-(Benzofuran-2-yl-carbonyl)-3-(4-(hex-1-ynyl)phenyl)-thiourea;~~  
~~1-(Benzofuran-2-yl-carbonyl)-3-(3-(2-(pyridin-3-yl)ethynyl)phenyl)-thiourea;~~  
~~1-(Benzofuran-2-yl-carbonyl)-3-(3-(2-(pyridin-3-yl)ethyl)phenyl)-thiourea;~~  
~~1-(Benzofuran-2-yl-carbonyl)-3-(3-(pyridin-2-yl)-phenyl)-thiourea;~~  
~~1-(Benzofuran-2-yl-carbonyl)-3-(3-(pyridin-2-yl-oxy)-phenyl)-thiourea;~~  
~~1-(3,5-Dimethylisoxazole-4-yl-carbonyl)-3-(4-(hex-1-ynyl)phenyl)-thiourea;~~  
~~1-(3,5-Dimethylisoxazole-4-yl-carbonyl)-3-(3-(2-(pyridin-3-yl)ethynyl)phenyl)-thiourea;~~  
~~1-(Benzofuran-2-yl-carbonyl)-3-((3-(trifluoromethyl)benzyloxy)-phenyl)-thiourea;~~

## API-0002

1-(Benzofuran-2-yl-carbonyl)-3-(4-((1-methylpiperidin-4-yl)methoxy)-3-fluorophenyl)thiourea;  
1-(Benzofuran-2-yl-carbonyl)-3-(3-(trifluoromethyl)-4-(piperidin-1-yl)phenyl)thiourea;  
1-(1,3-dimethyl-1*H*-thieno[2,3-*c*]pyrazol-5-yl-carbonyl)-3-(3-(phenoxy)phenyl)thiourea;  
1-(5-(2-methylthiazol-4-yl)isoxazol-3-yl-carbonyl)-3-(3-(benzyloxy)phenyl)thiourea;  
1-(5-(2-methylthiazol-4-yl)isoxazol-3-yl-carbonyl)-3-(3-phenoxyphenyl)thiourea;  
1-(5-(2-methylthiazol-4-yl)isoxazol-3-yl-carbonyl)-3-(4-pentylphenyl)thiourea;  
1-(5-(2-methylthiazol-4-yl)isoxazol-3-yl-carbonyl)-3-(4-pentoxyphenyl)thiourea;  
1-(1,5-Dimethyl-1*H*-pyrazol-3-yl-carbonyl)-3-(3-(benzyloxy)phenyl)thiourea;  
1-(1,5-Dimethyl-1*H*-pyrazol-3-yl-carbonyl)-3-(3-(phenoxy)phenyl)thiourea;  
1-(1,5-Dimethyl-1*H*-pyrazol-3-yl-carbonyl)-3-(4-pentylphenyl)thiourea;  
1-(1,5-Dimethyl-1*H*-pyrazol-3-yl-carbonyl)-3-(4-pentoxyphenyl)thiourea;  
1-(1-Methyl-3-*tert*-butyl-1*H*-pyrazol-3-yl-carbonyl)-3-(3-(benzyloxy)phenyl)thiourea;  
1-(1-Methyl-3-*tert*-butyl-1*H*-pyrazol-3-yl-carbonyl)-3-(3-(phenoxy)phenyl)thiourea;  
1-(1-Methyl-3-*tert*-butyl-1*H*-pyrazol-3-yl-carbonyl)-3-(4-pentylphenyl)thiourea;  
1-(2-Trifluoromethyl-5-methyl-furan-2-yl-carbonyl)-3-(3-(benzyloxy)phenyl)thiourea;  
1-(2-Trifluoromethyl-5-methyl-furan-2-yl-carbonyl)-3-(3-(phenoxy)phenyl)thiourea;  
1-(2-Trifluoromethyl-5-methyl-furan-2-yl-carbonyl)-3-(4-pentylphenyl)thiourea;  
1-(Benzo[*c*][1,2,5]oxadiazol-5-yl-carbonyl)-3-(3-(benzyloxy)phenyl)thiourea;  
1-(Benzo[*c*][1,2,5]oxadiazol-5-yl-carbonyl)-3-(3-(phenoxy)phenyl)thiourea;  
1-(Benzo[*c*][1,2,5]oxadiazol-5-yl-carbonyl)-3-(4-pentylphenyl)thiourea;  
1-(Benzo[*c*][1,2,5]oxadiazol-5-yl-carbonyl)-3-(4-pentoxyphenyl)thiourea;  
1-(2,7-Dimethylpyrazolo[1,5-*a*]pyrimidin-6-yl-carbonyl)-3-(3-(benzyloxy)phenyl)thiourea;  
1-(2,7-Dimethylpyrazolo[1,5-*a*]pyrimidin-6-yl-carbonyl)-3-(3-(phenoxy)phenyl)thiourea;  
1-(2,7-Dimethylpyrazolo[1,5-*a*]pyrimidin-6-yl-carbonyl)-3-(4-pentylphenyl)thiourea;  
1-(3-Methylisoxazol-4-yl-carbonyl)-3-(3-(benzyloxy)phenyl)thiourea;  
1-(3-Methylisoxazol-4-yl-carbonyl)-3-(3-(phenoxy)phenyl)thiourea;  
1-(3-Methylisoxazol-4-yl-carbonyl)-3-(4-pentylphenyl)thiourea;  
1-(3-Methylisoxazol-4-yl-carbonyl)-3-(4-pentoxyphenyl)thiourea;  
1-(5-Methyl-2-phenyl-2*H*-1,2,3-triazol-4-yl-carbonyl)-3-(3-(benzyloxy)phenyl)thiourea;  
1-(5-Methyl-2-phenyl-2*H*-1,2,3-triazol-4-yl-carbonyl)-3-(3-(phenoxy)phenyl)thiourea;  
1-(5-Chloro-3-methylbenzo[*b*]thiophen-2-yl-carbonyl)-3-(3-(benzyloxy)phenyl)thiourea;  
1-(5-Chloro-3-methylbenzo[*b*]thiophen-2-yl-carbonyl)-3-(3-(phenoxy)phenyl)thiourea;  
1-(1,3-Dimethyl-1*H*-pyrazol-5-yl-carbonyl)-3-(3-(benzyloxy)phenyl)thiourea;

API-0002

~~1-(1,3-Dimethyl-1H-pyrazol-5-yl-carbonyl)-3-(3-(phenoxy)-phenyl)thiourea;~~  
~~1-(1,3-Dimethyl-1H-pyrazol-5-yl-carbonyl)-3-(4-(pentyl)-phenyl)thiourea;~~  
~~1-(1,3-Dimethyl-1H-pyrazol-5-yl-carbonyl)-3-(4-(pentoxy)-phenyl)thiourea;~~  
~~1-(2-(Pyridin-3-yl)thiazol-4-yl-carbonyl)-3-(3-(benzyloxy)-phenyl)thiourea;~~  
~~1-(2-(Pyridin-3-yl)thiazol-4-yl-carbonyl)-3-(3-(phenyloxy)-phenyl)thiourea;~~  
~~1-(2-(Pyridin-3-yl)thiazol-4-yl-carbonyl)-3-(4-(pentyl)-phenyl)thiourea;~~  
~~1-(2-(Pyridin-3-yl)thiazol-4-yl-carbonyl)-3-(4-(pentoxy)-phenyl)thiourea;~~  
~~1-(4-Methoxy-benzofuran-2-yl-carbonyl)-3-(4-(benzyloxy)-phenyl)thiourea;~~  
~~1-(4-Methoxy-benzofuran-2-yl-carbonyl)-3-(3-fluoro-4-pentoxy-phenyl)thiourea;~~  
~~1-(Benzofuran-2-yl-carbonyl)-3-(3,5-dibromo-4-(pent-4-enyloxy)phenyl)thiourea;~~  
~~1-(Benzofuran-2-yl-carbonyl)-3-(3-((pyridin-3-yl)methyl)-phenyl)thiourea;~~  
~~1-(5-Iodo-benzofuran-2-yl-carbonyl)-3-(3-(benzyloxy)phenyl)thiourea;~~  
~~1-(5-Phenyl-benzofuran-2-yl-carbonyl)-3-(3-(benzyloxy)phenyl)thiourea;~~  
~~1-(5-(2-Pyridyl)benzofuran-2-yl-carbonyl)-3-(3-(benzyloxy)phenyl)thiourea;~~  
~~1-(3-Propoxy-pyridin-2-yl-carbonyl)-3-(4-(pentyl)phenyl)thiourea;~~  
~~1-(2,5-Dichlorothiophen-3-yl-carbonyl)-3-(4-(pentoxy)-phenyl)thiourea;~~  
~~1-(3-Methyl-5-(methylthio)-4-vinylthiophen-2-yl-carbonyl)-3-(4-(pentoxy)-phenyl)thiourea;~~  
~~1-(3-Methyl-5-(methylthio)-4-vinylthiophen-2-yl-carbonyl)-3-(4-(benzyloxy)-phenyl)thiourea;~~  
~~1-(5-(Methylthio)-thiophen-2-yl-carbonyl)-3-(4-(benzyloxy)-phenyl)thiourea;~~  
~~1-(5,7-Dimethylpyrazolo[1,5-a]pyrimidin-2-yl-carbonyl)-3-(4-(benzyloxy)-phenyl)thiourea;~~  
~~1-(2,5-Dichlorothiophen-3-yl-carbonyl)-3-(4-(phenoxy)-phenyl)thiourea;~~  
~~1-(3-Methyl-5-(methylthio)-4-vinylthiophen-2-yl-carbonyl)-3-(4-(phenoxy)-phenyl)thiourea;~~  
~~1-(5-(Methylthio)-thiophen-2-yl-carbonyl)-3-(4-(phenoxy)-phenyl)thiourea;~~  
~~1-(7-Fluoro-benzofuran-2-yl-carbonyl)-3-(4-(pentoxy)-phenyl)thiourea;~~  
~~1-(7-Fluoro-benzofuran-2-yl-carbonyl)-3-(3-(benzyloxy)-phenyl)thiourea;~~  
~~1-(2-(1,3-Dioxoisindolin-2-yl)acetyl)-3-(3-phenoxyphenyl)thiourea;~~  
~~1-(2-(1,3-Dioxoisindolin-2-yl)acetyl)-3-(3-benzyloxyphenyl)thiourea;~~  
~~1-(Benzofuran-2-yl-carbonyl)-3-(3-(benzyloxy)methyl-phenyl)thiourea;~~  
~~1-(Benzofuran-2-yl-carbonyl)-3-(3-(phenylamino)methyl-phenyl)thiourea;~~  
~~1-(Benzofuran-2-yl-carbonyl)-3-(4-(N-benzyl-N-methylamino)-3-fluorophenyl)thiourea;~~  
~~Phenyl-3-(3-((benzofuran-2-yl)-carbonyl)thioureido)benzoate;~~  
~~1-(4-Cyanophenyl-carbonyl)-3-(3-(benzyloxy)-phenyl)thiourea;~~  
~~1-(4-Cyanophenyl-carbonyl)-3-(4-(pentyloxy)-phenyl)thiourea;~~

API-0002

1-(4-Cyanophenyl-carbonyl)-3-(3-phenoxy-phenyl)thiourea;  
1-(Quinoxalin-2-yl-carbonyl)-3-(3-phenoxy-phenyl)thiourea;  
1-(Quinoxalin-2-yl-carbonyl)-3-(4-pentoxo-phenyl)thiourea;  
1-(Quinoxalin-2-yl-carbonyl)-3-(4-pentyl-phenyl)thiourea;  
1-(4-Trifluoromethoxyphenyl-carbonyl)-3-(4-pentyl-phenyl)thiourea;  
1-(4-Trifluoromethoxyphenyl-carbonyl)-3-(4-pentoxo-phenyl)thiourea;  
1-(4-Trifluoromethylphenyl-carbonyl)-3-(4-pentoxo-phenyl)thiourea;  
1-(4-Trifluoromethylphenyl-carbonyl)-3-(4-pentyl-phenyl)thiourea;  
1-(5-Cyano-benzofuran-2-yl-carbonyl)-3-(3-phenoxy-phenyl)thiourea;  
1-(5-Cyano-benzofuran-2-yl-carbonyl)-3-(4-pentyl-phenyl)thiourea;  
1-(4-Methyl-1,2,3-thiadiazol-5-yl-carbonyl)-3-(4-pentoxo-phenyl)thiourea;  
1-(4-Methyl-1,2,3-thiadiazol-5-yl-carbonyl)-3-(4-pentoxo-phenyl)thiourea;  
Butyl 4-(3-(4-Methyl-1,2,3-thiadiazol-5-yl)-carbonyl)thioureaideobenzoate;  
1-(Pyrazin-2-yl-carbonyl)-3-(3-phenoxy-phenyl)thiourea;  
1-(Pyrazin-2-yl-carbonyl)-3-(4-pentyl-phenyl)thiourea;  
1-(Pyrazin-2-yl-carbonyl)-3-(4-pentoxo-phenyl)thiourea;  
1-(3-Fluoro-4-(pentyloxy)phenyl)-3-(2-(1,3-dioxoisindolin-2-yl)acetyl)thiourea;  
1-(Benzofuran-2-yl-carbonyl)-3-(3-trifluoromethyl-4-pentoxo-phenyl)thiourea;  
1-(1-Benzyl-1H-tetrazol-5-yl-carbonyl)-3-(3-(benzyloxy)-phenyl)thiourea;  
1-(Benzofuran-2-yl-carbonyl)-3-(4-(N-methyl-N-pentylamine)-3-fluorophenyl)thiourea;  
1-(1-Benzyl-1H-tetrazol-5-yl-carbonyl)-3-(3-(benzyloxy)-phenyl)thiourea;  
1-(6-Trifluoromethyl-pyrid-3-yl-carbonyl)-3-(4-pentyl-phenyl)thiourea;  
1-(6-Trifluoromethyl-pyrid-3-yl-carbonyl)-3-(4-pentoxo-phenyl)thiourea;  
1-(3-Trifluoromethyl-phenyl-carbonyl)-3-(3-phenoxy-phenyl)thiourea;  
1-(3-Trifluoromethyl-phenyl-carbonyl)-3-(4-pentyl-phenyl)thiourea;  
1-(3-Trifluoromethyl-phenyl-carbonyl)-3-(4-pentoxo-phenyl)thiourea;  
1-(3-Trifluoromethoxy-phenyl-carbonyl)-3-(4-pentyl-phenyl)thiourea;  
1-(3-Trifluoromethoxy-phenyl-carbonyl)-3-(4-pentoxo-phenyl)thiourea;  
1-(2-Chloro-5-trifluoromethoxy-phenyl-carbonyl)-3-(4-pentyl-phenyl)thiourea;  
1-(3-Difluoromethyl-phenyl-carbonyl)-3-(3-phenoxy-phenyl)thiourea;  
1-(3-Difluoromethyl-phenyl-carbonyl)-3-(3-phenoxy-phenyl)thiourea;  
1-(5-(Trifluoromethyl)-2-phenyloxazol-4-yl-carbonyl)-3-(3-(benzyloxy)-phenyl)thiourea;  
1-(5-(Trifluoromethyl)-2-phenyloxazol-4-yl-carbonyl)-3-(3-(phenoxy)-phenyl)thiourea;

API-0002

~~1-(5-(2-Chloro-5-trifluoromethylphenyl)-furan-2-yl-carbonyl)-3-(4-(pentoxy)-phenyl)thiourea;~~  
~~1-(3-Trifluoromethyl-4-methoxy-phenyl-carbonyl)-3-(3-phenoxy-phenyl)thiourea;~~  
~~1-(3-Trifluoromethyl-4-chloro-phenyl-carbonyl)-3-(4-pentyl-phenyl)thiourea;~~  
~~1-(3-Trifluoromethyl-4-chloro-phenyl-carbonyl)-3-(4-pentoxy-phenyl)thiourea;~~  
~~1-(3-Trifluoromethyl-4-methyl-phenyl-carbonyl)-3-(3-benzyloxy-phenyl)thiourea; and~~  
~~1-(3-Trifluoromethyl-4-methyl-phenyl-carbonyl)-3-(3-phenoxy-phenyl)thiourea;~~  
~~1-(3-Trifluoromethyl-4-methyl-phenyl-carbonyl)-3-(4-pentyl-phenyl)thiourea;~~  
~~1-((5-Acetamidobenzofuran-2-yl)-carbonyl)-3-(3-phenoxyphenyl)thiourea;~~  
~~1-Acetyl-3-(3-phenoxyphenyl)thiourea;~~  
~~1-Acetyl-3-(4-(pentyloxy)phenyl)thiourea;~~  
~~1-Acetyl-3-(4-pentylphenyl)thiourea;~~  
~~1-(Dimethylamino-acetyl)-3-(3-phenoxyphenyl)thiourea;~~  
~~1-(Dimethylamino-acetyl)-3-(3-benzyloxyphenyl)thiourea;~~  
~~1-(3,5-Dimethylisoxazole-4-yl-carbonyl)-3-(4-pentyl-phenyl)thiourea;~~  
~~1-(Benzofuran-2-yl-carbonyl)-3-((2,3,4,5,6-penta-fluorophenoxy)-phenyl)thiourea;~~  
~~1-(Benzofuran-2-yl-carbonyl)-3-(9-methyl-9H-fluoren-7-yl)thiourea;~~  
~~Pentyl-2-phenyl-4-(3-(benzofuran-2-yl)thioureaide)benzoate;~~  
~~1-(3-Pyrid-3-yl-carbonyl)-3-(3-benzyloxy-phenyl)thiourea;~~  
~~1-(3-Pyrid-3-yl-carbonyl)-3-(3-phenoxy-phenyl)thiourea;~~  
~~1-(3-Pyrid-3-yl-carbonyl)-3-(4-pentoxy-phenyl)thiourea;~~  
~~1-(3-Pyrid-3-yl-carbonyl)-3-(4-pentyl-phenyl)thiourea;~~  
~~1-(4-Phenylbutanoyl)-3-(3-phenoxyphenyl)thiourea;~~  
~~1-(4-Phenylbutanoyl)-3-(3-benzyloxyphenyl)thiourea;~~  
~~1-(2-Morpholinoacetyl)-3-(3-phenoxyphenyl)thiourea;~~  
~~1-(2-Morpholinoacetyl)-3-(4-(pentyloxy)phenyl)thiourea;~~  
~~1-(2-Morpholinoacetyl)-3-(4-(pentyl)phenyl)thiourea;~~  
~~1-(4-(Pentyloxy)phenyl)-2-(2-(piperidin-1-yl)acetyl)thiourea;~~  
~~1-(N-Methyl-N-phenylamino-acetyl)-3-(3-benzyloxyphenyl)thiourea;~~  
~~1-(Benzofuran-2-yl-carbonyl)-3-(6-pentoxy-pyrid-3-yl)thiourea;~~  
~~1-(3-Pyrid-3-yl-carbonyl)-3-(3-benzyloxy-phenyl)thiourea hydrochloride;~~  
~~1-(3-Pyrid-3-yl-carbonyl)-3-(3-phenoxy-phenyl)thiourea hydrochloride;~~  
~~1-(3-Pyrid-3-yl-carbonyl)-3-(4-pentyl-phenyl)thiourea hydrochloride;~~  
~~1-(Benzofuran-2-yl-carbonyl)-3-(trifluoromethylthio-phenyl)thiourea;~~



API-0002


~~1-(3-(Piperidin-1-yl)propanoyl)-3-(4-pentylphenyl)thiourea;~~  
~~1-(3-(Piperidin-1-yl)propanoyl)-3-(4-(pentyloxy)phenyl)thiourea;~~  
~~1-(3-(Piperidin-1-yl)propanoyl)-3-(3-phenoxyphenyl)thiourea;~~  
~~1-(3-Morpholinopropanoyl)-3-(4-(pentyloxy)phenyl)thiourea;~~  
~~1-(1-Methylpiperidin-3-yl-carbonyl)-3-(4-(pentyloxy)phenyl)thiourea;~~  
~~1-(1-Methylpiperidin-3-yl-carbonyl)-3-(4-(pentyloxy)phenyl)thiourea;~~  
~~1-(2-(2-methylpiperidin-1-yl)acetyl)-3-(4-(pentyloxy)phenyl)thiourea;~~  
~~1-(2-Oxo-4-phenyl-pyrrolidin-1-yl-carbonyl)-3-(3-benzoyloxy-phenyl)thiourea; and~~  
~~1-(5-Trifluoromethoxy-benzofuran-2-yl-carbonyl)-3-(3-benzoyloxy-phenyl)thiourea.~~

Claims 82-86. (Canceled)

87. (Currently Amended) A method for treating Hepatitis C infection comprising administering to a patient in need of such treatment a therapeutically effective amount of a ~~compound or salt~~ the pharmaceutical composition according to Claim 1.

Claims 88-90. (Canceled)

91. (New) A compound of the formula




or a pharmaceutically acceptable salt thereof, wherein

$R_1$  and  $R_2$  are independently hydrogen, methyl, or ethyl;

$R_{18}$  is 1 to 3 substituents independently chosen from hydroxy, cyano, amino, nitro,  $C_1$ - $C_4$ alkyl,  $C_1$ - $C_4$ alkoxy, mono- and di- $(C_1$ - $C_4$ alkyl)amino,  $C_1$ - $C_2$ haloalkyl,  $C_1$ - $C_2$ haloalkoxy, and phenyl;

$A_2$  is a group of the formula

## API-0002



wherein

$R_{11}$  and  $R_{12}$  each represent 0 to 3 substituents independently chosen from halogen, hydroxy, cyano,  $C_1$ - $C_6$ alkyl,  $C_1$ - $C_6$ alkoxy, mono- and di- $(C_1$ - $C_6$ alkyl)amino,  $C_2$ - $C_6$ alkanoyl,  $C_1$ - $C_2$ haloalkyl,  $C_1$ - $C_2$ haloalkoxy, and phenyl; and

$R_{13}$  and  $R_{14}$  are independently chosen at each occurrence from hydrogen and  $C_1$ - $C_4$ alkyl.

92. (New) A method for treating Hepatitis C infection comprising administering to a patient in need of such treatment a therapeutically effective amount of a compound or salt of Claim 91.